

	Type	Hits	Search Text	DBs
1	IS&R	3	((("6017823") or ("6498067") or ("20030011080"))).PN.	US-PGPUB; USPAT; USOCR
2	BRS	9	("5920783"   "5994192"   "5994227"   "6165913"   "6190961"   "6218275"   "6242354"   "6440875"   "6455383").PN.	US-PGPUB; USPAT; USOCR
3	BRS	1	("6498067").URPN.	USPAT
4	BRS	2	("5661052"   "5759899").PN.	US-PGPUB; USPAT; USOCR
5	BRS	17	("6017823").URPN.	USPAT
6	BRS	280	gate with recessed with spacer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
7	BRS	10566	gate with spacer with etch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
8	BRS	14725	gate with (spacer or sidewall) with etch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
9	BRS	8224	S8 and semiconductor and source and drain and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
10	BRS	30946	(sidewall or spacer) with etching	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
11	BRS	2731	S9 and (silicon adj dioxide) and nitride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
12	BRS	1448	S11 and (polysilicon with gate) and silicide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
13	BRS	1945	438/265, 303, 595.ccls.	US-PGPUB; USPAT
14	BRS	1680	S13 and (sidewall or spacer) and etch\$3	US-PGPUB; USPAT
15	BRS	1065	S14 and silicide	US-PGPUB; USPAT
16	IS&R	2	((("6287924") or ("6777760")).PN.	USPAT